

U. S. ARMY
MEDICAL DEPARTMENT.

S. M. D. Co. at Baker's Butte

REGISTER
AND
PRESCRIPTION BOOK
OF

Regiment.

1871

EXAMPLE TO ILLUSTRATE
Register and Prescription Book

	NAME	RANK	REG'T	COMP.	DISEASE
<i>January 1, 1863.</i>					
	James Barron,	P.		C	Pneumonia,
	Joseph P. Smith,	P.		H	Diarrhoea,
	William Parker,	P.		K	Int. Fever, quotid,
4	Andrew J. Johnson,	P.		A	Chr. Rheumatism,
5	Solomon C. Case,	P.		D	Fract. Pelvis,
<i>January 2d.</i>					
1	J. Barron,			C	
2	J. P. Smith,			H	
3	W. Parker,			K	
4	A. J. Johnson,			A	
5	S. C. Case,			D	
6	George H. Anderson,	Corp.	110th N. H.	E	Gunshot w'd r. leg,
7	Peter A. Cummings,	P.	98th Conn.	I	Fract. r. thigh,
8	Abraham Concord,	P.		F	Primary Syphilis,
<i>January 3d.</i>					
1	J. Barron,			C	
2	J. P. Smith,			H	
3	A. J. Johnson,			A	
4	S. C. Case,			D	
5	G. H. Anderson,		110th N. H.	E	
6	P. A. Cummings,		98th Conn.	I	
7	A. Concord,			F	
8	John Adams,	P.		G	Drunkenness,
9	Charles E. Ingraham,	P.	25th Me.	A	Gunshot wd. r. foot,
10	Alexander Hearn,	Serg.	2d Mass.	F	do. of scalp,
11	Samuel Singer,	P.	20th Conn.	B	Bayonet wd. chest,
<i>January 4th.</i>					
1	G. H. Anderson,		110th N. H.	E	
2	A. Concord,			F	
3	J. Adams,			G	
4	C. E. Ingraham,		25th Me.	A	
5	A. Hearn,		2d Mass.	F	
6	S. Singer,		20th Conn.	B	
7	Jacob Ashley,	P.		A	Insanity,
8	Terence Bly,	P.		K	Indigestion,
9	Seth H. Adams,	P.		I	Catarrh,
10	John Sanderson,	P.		C	Ing. Hernia r.,
11	Michael Bunce,	P.		F	Catarrh,
12	John J. Simons,	Corp.		F	Constipation,
<i>January 5th.</i>					
1	G. H. Anderson,		110th N. H.	E	
2	A. Concord,			F	
3	T. Bly,			K	
4	S. H. Adams,			I	
5	J. Sanderson,			C	
6	M. Bunce,			F	
7	J. J. Simons,			F	
8	Andrew Smith,	P.		B	Dysentery,
9	Aaron Carter,	P.		F	Cholera Morbus,
10	Archer Boulton,	P.		A	Chr. Rheumatism,
11	Samuel C. Haines,	P.		G.	do. do.
12	George Brower,	Corp.		G	Strict. Urethra,
13	William Hanson,	P.		A	Cont. Fever,

THE USE OF THIS BOOK.
of 110 Regiment, N. Y. S. V.

In Hospital or Quarters	PRESCRIPTION AND REMARKS
H.	3 Aperient pills. Opiate at night.
H.	2 Comp. Cathartic Pills.
Q.	5 Quinia pills an hour before the time for next paroxysm.
Q.	10 Minims F. E. Colchic. Seed every 2 hours till it operates.
H.	Rest. Opium every hour till pain is relieved.
H.	A dose of the cough mixture every 3 hours.
H.	Opium pill after each evacuation.
	Duty. Repeat the Quinia this day a week.
Q.	Frictions with liniment.
H.	Cont. Opium pill every 3 hours.
H.	Amputation below r. knee. (Found wounded).
H.	Provisional dressing. " "
Q.	Lunar caustic to chancres.
	General Hospital.
	Discharged on Certif. of Ord. Disability.
	Duty.
H.	Died 4 A. M. Autop. Fract. r. ilium, rupt. of bladder.
	Dressings.
	Sent to his Regiment, 98th Conn.
Q.	Water dressing to penis.
Q.	Confined under guard.
H.	Water dressing.
H.	Shave parts and apply water dressing. (Found wounded.)
H.	Rest, firm bandage, 2 opium pills. " "
H.	Dressings, 2 aperient pills.
Q.	Wash of Sulph. of Zinc, 10 grs. to f oz.
	Duty.
	Sent to his Regiment.
	do. do.
	do. do.
H.	Insane Asylum.
Q.	2 Cathartic pills, low diet.
Q.	Cough mixture every 2 hours till it nauseates.
H.	Rest in a recumbent posture.
Q.	Cough mixture 3 times a day.
Q.	2 Cathartic pills, to be repeated at night, if requisite.
H.	General Hospital with Certif. for Pension.
	Continue. L. diet.
	Duty.
Q.	Cough mixture 3 times a day.
H.	Truss applied.
Q.	Continue.
	Duty.
H.	10 grs. Calomel followed in 4 hours by 2 aperient pills.
H.	Rest and abstinence.
Q.	10 minims F. E. Colchic. Seed every 2 hours till it operates.
Q.	Teaspoonful of Tart. Soda and Potassa twice a day. Liniment.
Q.	Bougies applied.
H.	2 Aperient pills. Full diet.

Aug 4th [1887-A.R.P.]

Columba fasciata ♂ ad

Baker's Butte at B. Spring

391; 639; 213; 148; cul. 18

Gape 29; tibia 54; tars 29;

mtc 39; cl. 10; htc 25; cl 10

Bill yellow at base, with sharply defined black tip. Legs & feet yellow; claws plumbeous-black. Irides with 3 rings. The outer like eyelid (iris-color), shiny brown on middle ring & yellowish on narrow inner ring.

Picoides stricklandi ♂ ad.

223; 384; 123; 79; cul 32

Gape 35; tip of bill to center of pupil 42

Tip of bill to occiput 56; base of bill to occiput 28

Tibia 29; tarsus 20.3; mtc 17; cl. 9.5

for

Regiment

In Hospital or Quarters

PRESCRIPTION AND REMARKS

Aug. 5th

Columba fasciata ♂ ad. 385; 642;

212; 146; cul 18; gape 29; tibia 60; tars 30; mtc 40; cl 9; htc 24; cl 9

Piranga aestiva cooperi ♀ ad. East Fork of Verde River. Aug. 5, 1887

101; 83; tarsus 22; mtc 23; cl. 7; htc 15.5; cl 7

Columba fasciata ♀ ad. 377;

640; 210; 148; cul 20; gape 36; tibia 60; tars 29; mtc 39; cl 10

htc 24; cl 10. An egg of full size in it

Columba fasciata ♂ 374; 650; 215;

148; cul 18; gape 29; tibia 58;

tarsus 29; mtc 38; cl 10; htc 24; cl 9

Columba fasciata ♂ 384; 640; 218; 150;

cul 18; gape 29; tibia 55; tarsus 28.5;

mtc 40; cl 11; htc 24; cl 10

Columba fasciata ♂ ad. 394; 645;

216; 154; cul 18; gape 29; tibia 57;

tarsus 29; mtc 39; cl 9.5; htc 26; cl 10

Columba fasciata ♀ ad. 369; 600;

202; 143; cul 18; gape 28; tibia 47;

tars 26; mtc 37; cl 10; htc 22; cl 9

Columba fasciata ♂ ad. 384; 650;

216; 145; cul 20; gape 31; tibia 55;

tars 29; mtc 38; cl 8; htc 25;

cl 10. Contained good sized

egg. *Piranga hepatica* juv

first plumage

No. NAME RANK REG'T COMP. DISEASE

* Contained good sized eggs!

for Regiment.

In Hospital
or Quarters

DESCRIPTION AND REMARKS

Columba fasciata ♀ ad. 368; 620;
207; 144; cul 19 gape 30 tib 49;
tarsus 29; mte 38; cl 10; hte 24; cl 9;
Columba fasciata ♂ ad. 385; 636;
217; 150; cul 18 gape 29 tib 58;
tars 29 mte 40 cl 10.5 hte 25 cl 10;
Columba fasciata ♂ ad. 393; 655;
220; 155; cul 17.5 gape 29 tib 59;
tars 28 mte 39 cl 10.6 hte 26 cl 10;
Columba fasciata ♀ ad. 375; 630;
212; 147; cul 19 gape 30 tib 55;
tars 27 mte 39; hte 25; cl 10.5;
Columba fasciata ♀ ad. 363; 637;
216; 147; cul 16; gape 25; tib 50;
tars 28; mte 38; cl 9.5;
hte 24; cl 9;

Note, Mr. J. M. Laughlin, living
at Dr. Massengill's ranch, killed
2 lions last winter. One measured
total length 7 ft. 10 in. An old male.
Estimated weight 150 lbs.
Also killed large cinnamon bear.
It was fighting a male hog. The
hog was fighting viciously, but
would have been killed had
not been shot. Mr. Mc
though at first the issue of the
fight was doubtful.

No.	NAME	RANK	REG'T	COMP.	DISEASE
-----	------	------	-------	-------	---------

In Hospital
or Quarters

PRESCRIPTION AND REMARKS

August 4th. Left camp at Fern Spring, near Baker's Butte at 3 o'clock P.M. and marched to Pine Creek Settlement 9 miles

August 5th. - Started from Pine at 8 o'clock A.M. I stopped an hour en route to shoot Band-tailed Pigeons, of which I got 12, two at a shot 3 times. When I reached the natural Bridge Trail, I saw that our party had gone past. Their trail led past the forks of the road to a heavy wash, where I lost it, there being fresh mule tracks in the road which I thought were ~~our~~ ^{pack} mules. I rode on to Fuller's Ranch on the East Fork of the Verde River, where I shot a Cooper's Tanager and got a drink of buttermilk at the ranch. Turned back and went to the Bridge, where I found the soldiers & pack mule, they having followed up the canon of Pine Creek from where they struck it 8 miles below and where Mr. Andrew McFarlane

No.	NAME	RANK	REG'T	COMP.	DISEASE
-----	------	------	-------	-------	---------

In Hospital or Quarters	PRESCRIPTION AND REMARKS
----------------------------	--------------------------

Camped with his horse and pack-mule.
 Aug. 6th. Rode down the cañon of Pine 8 miles and found Mack in camp. Turkey tracks were thick & one Urubitinga seen. Mr. M. had cooked a mess of verde Bowy-tails. There were several species of fishes in the creek. We stayed in camp until 3 o'clock and rested the animals waiting for Newman who had been left around by the road to intercept M^r. F. Should we have left camp & tried to find the Bridge. We saw Proctor's horse's tracks where he had been down at the creek before we got there, but had left & followed some horse tracks down the creek so we left him behind and rode six miles, crossing the East Verde at mouth of Rock Creek & then following up Turbine Creek, a tributary entering the East Verde from the Matatzal Mountains nearly opposite Rock Creek.

Register and Prescription Book

for _____ Regiment _____

No.	NAME	RANK	REG'T	COMP.	DISEASE
-----	------	------	-------	-------	---------

To Hospital
or Quarters

PRESCRIPTION AND REMARKS

Melospiza anthracina, *Columba fasc.*
Zenaidura macroura, *Agelaius*
phoeniceus. Birds scarce at the bridge
Melospiza fasciata fallax also

Register and Prescription Book

for _____ Regiment _____

No. NAME RANK REG'T COMP. DISEASE

In Hospital
or Quarters

PRESCRIPTION AND REMARKS

August 7th Camped on Turbine
last night, when breaking a
branch of cypress for our fire
a chip sprang into my eye
striking the eyeball with great
force. I spent the day in camp
applying cold water not being
able to see. A bear had
made a bed in a fork of the
creek not 50 yards from
our camp & had probably
left the night we got there
as his tracks & den were fresh.
Aug 8th. Rode 14 miles back
to Natural Bridge on Pine Creek.
Saw one deer & shot 1 pigeon.
I saw shot Turkey Buzzard
thinking it was an Eagle Eye
some better; not able to see the
country or shoot yet.
Aug. 9th. Eye still improving
able to keep it open a good
deal. The birds about the bridge
are Swifts (which have left their
nesting places & are now rare).
Bl. K. Chinned Hummers, *A. psaltria*
Pipilo macul. megal., *Icteria virens*, *aphelo-*
-coma woodhousei, *Sayornis nigricans*
(turn back on leaf)

No.	NAME	RANK	REG'T	COMP.	DISEASE
-----	------	------	-------	-------	---------

for _____ Regiment

Regiment

In Hospital
or Quarters

PRESCRIPTION AND REMARKS

622 Spermophilus grammurus Ord

A very dark specimen, nearly black on crown & strongly marked with same on dorsum generally. Whiskers all black. Under parts a pale bitternut brown.

Total length ~~4~~ 580 Head + body 285

Tail vert. 211 width 130 $\frac{1}{2}$ of

rose to front teeth 8 angle mouth 38

eye 28 centre of pupil 36 ear 54

meatus 57 tip of ear 85 occiput 70

end hind leg 400 Ears above crown

19 notch 25 width. 24 Between

eyes 35 chest girth 155 Longest

Whiskers 60 Horse tail from cor.

711 Oceanon 83 Angus 39

width 14 cl 8 Hand (unt) 15-0
K 117 P 100 (D) 116 cl C

Knee 117 Pes 60 width 16 Cl 8.
Skull only

Shank may preserve
Total length measured to tip of neck

total length measured to tip of vest
not to tip of hairs. Make allowance

not to $\frac{1}{2}$ of grains. Make allowance.

In Hospital
or Quarters

PRESCRIPTION AND REMARKS

August 16th - Bassett Butte
Hesperomys leucopus sonoriensis Fad.

A very large adult, shot the day
 before I started for Verde Mtn
 first trip. Total length, 162; head & b.
 97; tail vert. 62; hairs 67 Ears,
 height above crown 17; notch 18.5;
 width, 13; between eyes 9.5. Chest
 girth 70 whiskers 37. Tip of nose to
 front teeth, 5; angle of mouth, 15.
 Eye, 13.5; centre pupil 16; ear 24
 meatus 23; tip of ear 45; occiput
 29; end of hind limb 137. Fore limb
 31; olec. 24; manus 10.5; width 3.6
 Hind limb 52; knee, 38. Pes 21
 width 4.5 = Peromyscus rufinus Merriam

[This is the only fully adult specimen
 that I got in Arizona. E. A. M. Jan., 1891.]

No.	NAME	RANK	REG'T	COMP.	DISEASE
-----	------	------	-------	-------	---------

In Hospital
or QuartersAug. 10th PRESCRIPTION AND REMARKS

Sciurus arizonensis ♂ ad. Total l. 577
H. & body 263 Tail vert 260 hairs 320
width, 115 Ears crown 24 notch 34
width, 26 Post. eyes 38 Chest girth 140
Longest whiskers 70 Tip of nose to front
teeth, 10 ; angle mouth 34 eye 31
centre pupil 36.5 ear 55 meatus 56
tip of ear 86 occiput 71 end of
hind leg 420 Diameter eye 8.5
Fore limb from coracoid 128 olecranon 97
manus 49 width 14 cl 10
Hind limb 185 knee 131 Pes 72
width 15 cl. 10.5

Sciurus arizonensis ♂ ad. T. length 596
H. & body 260 Tail vert 262 hairs 1337
width, 150 Ears crown 25 notch 33
width, 26 Between eyes 37 Chest girth 150
Longest whiskers 76 Tip of nose to
front teeth, 9 angle mouth 32
eye 31 centre pupil 37 ear 54
meatus 55 tip of ear 84 end of hind
leg, 408 Diameter of eye, 8.
Fore limb from coracoid 125 olecranon
95 manus 49 width 14 l. cl. 9
Hind limb 185 knee 133 Pes 70
width, 15 cl. 9.5

Register and Prescription Book

for _____ Regiment

No.	No.	NAME	RANK	REG'T	COMP.	DISEASE
-----	-----	------	------	-------	-------	---------

In Hospital
or Quarters

PRESCRIPTION AND REMARKS

5-95

Sciurus arizonensis ♂ juv. J. L. ~~6~~
 H. + body 250 Tail vert. 266 hairs 342
 width 145 Ears crown 24 notch 33
 width 25 Bet. eyes 35 Chest girth
 130 Longest whiskers, 70 Tip of nose
 to front teeth, 9 angle mouth 31
 eye 29.5 centre pupil 35 ear 53
 meatus 54 tip of ear 86 occiput 17
 end of hind leg. 393 Fore hind cor. 124
 olecranon 96 manus 51 width 13
 cl. 9.6 Hind limb 187 knee 131
 Pes 73 width 15 cl. 9.8.
 Diameter of eyes 8.

No. NAME RANK REG'T COMP. DISEASE

August 11th

Setophaga picta 146; 212; 77;
68; cul., 10; nost., 7; gape, 14; tibia, 23.5;
tars., 17; mte., 15; claw, 5; hte., 13; claw, 6.
Iris, dark hazel. Bill, legs, feet & claws
brownish black.

August 10th

Sciurus arizonensis ♀ ad. 600 (total length)
Head + body, 278; Tail, vert. 265; hairs, 325;
width of tail, 115; ears, crown, 23.5;
notch, 33; width, 25; between eyes, 37;
chest girth, 150; longest whiskers,
65; Tip of nose to front teeth, 9;
angle mouth 33; eye, 30.5; center of
pupil, 38; ear, 54; meatus, 56;
tip of ear, 86; occiput, 69; end
of hind leg, 430; diameter of eye, 9;
Forelimb from coracoid, 130;
olecranon, 96; manus, 49; width, 15;
claw, 10; hind limb from femur, 193;
knee 134; pes, 71; width 14.5; cl., 10.

Sciurus arizonensis ♀ ad. total length
581; head + body, 270; tail, vert., 264;
hairs, 323; width, 100; ears, crown, 24;
notch, 33; width, 25; between eyes, 36;
chest girth, 145; longest whiskers, 65;
Tip of nose to front teeth, 10; angle

In Hospital
or Quarters

PRESCRIPTION AND REMARKS

mouth, 32; eye, 30; center of pupil,
36; ear, 53; meatus, 56; tip of
ear, 86; occiput 70; end of hind
leg, 420; diameter of eye, 8.8; fore-
limb from coracoid, 120; olecranon,
91; manus, 47; width, 15; claw, 10;
hind limb from femur, 185; knee, 129;
pes, 72; width 16; claw, 10.

Setophaga picta 147; 221;
76; 70; cul., 10; nost., 6.5; gape, 14;
tibia, 23; tars., 16.5; mte., 16; claw, 4;
hte., 12; claw, 5.

Setophaga picta 154; 225;
77; 71; cul., 10.5; nost., 7; gape, 14;
tibia, 24; tars., 15.7; mte., 16; claw, 5.2;
hte., 13; claw, 5.6. Colors of parts
same as others.

Tamias dorsalis ♀

total length, 255; head + body, 130;
Tail, vert., 100; hairs, 130; width of
tail 50; ears, crown, 17; notch, 22;
width, 13; between eyes, 17.5; chest girth, 80;
longest whiskers, 37; Tip of nose to front
teeth, 5; angle mouth, 20; eye, 16.5;
center of pupil, 20; ear, 31;
meatus, 32; tip of ear, 53; occiput, 40;
end of hind leg, 199; diameter of eye, 5;
forelimb from coracoid, 59; olecranon,

No. NAME RANK REG'T COMP. DISEASE

non, 43; manus, 20; width, 6;
claw, 3.5; hind limb from femur, 88;
tarsus, 61; pes, 34.5; width, 7;
claw, 4.

5620 Buteo borealis ♂ ad. ~~♂ ad.~~
545; 14; 400; 230; cul + cere, 36;
cere, 15.5; cul, 25; gape, 43; tibia,
110; tarsus, 85; mte, 58; claw, 22; hte, 48;
claw, 28; inner claw, 26.5; outer claw, 17.
Tail with one sub-terminal bar.
Stomach filled with ^{worms} ~~seeds~~. It
had caught a squirrel (*Sciurus*
arizonensis) which M^r F. had shot
the day before.

Picus villosus harrisi ♂ ad. 241; 405
149; 92; cul, 30.5; gape, 33.5;
tibia 32; tarsus 22.5; mte, 21.5; Cl. 10
Aphelocoma sieberi arizonae ♀ juv.
Aug. 1887. A few of the blue feathers
of the fall plumage adhering on the
head & back among the grayish
feathers of the fall plumage. Irides
dark hazel. Bill flesh color at
base with irregular area, with
plumbeous tip. Legs & feet dark
bluish-gray. Claws plumbeous-
black. Length 343, wing 166
tail 156.

In Hospital
or Quarters

PRESCRIPTION AND REMARKS

Aphelocoma sieberi arizonae ♂ juv.
Aug. 1887. Colors same as above.

Aphelocoma sieberi arizonae ♀ ad.
Aug. 1887. 335; 535; 176; 163
cul 33; gape 38; tibia 38; tarsus 43
mte 36; cl 10.5; hte 27; cl 12.5

Aphelocoma sieberi arizonae ♀ ad.
Aug. 1887. 357; 525; 178; 167
cul 30; gape 39; tibia 56; tarsus 44
mte 36; cl 10; hte 28; cl 12

5626 Pipilo maculatus megalonyx ♂ juv.
First plumage. Aug.
Contopus richardsoni ♀ juv. Young
of the year. Perhaps later than
first plumage. Weber Cr. Aug.

5628 Pooca ruficeps boucardi ♀ ad. In
worn plumage. Weber Cr. Aug.
166; 211; 67; 71; cul 13.5; gape 14.5
tibia 30; tarsus 23.5; mte 20; cl 5.6
hte 15; cl 7

5636 Loxia stricklandi ♂ (age?). Buteo
Butte, Aug. 12.
173; 294; 98; 63; cul, 20; tibia
~~130; 192; 21; mte 30.~~
tarsus 19; mte 21; cl. 7.1; hte 18; cl 9
Loxia melanocephala ♀ ad.
210; 315; 99; 83; cul 17; gape 20
tarsus 23.5; mte 23; cl 6.5; hte 17; cl 7

Register and Prescription Book

for _____ Regiment

No. NAME RANK REG'T COMP. DISEASE

In Hospital
or Quarters

PRESCRIPTION AND REMARKS

Progne subis ♂ ad Weber Creek,
Fonto Basin, Arizona. Aug. 1887
207; 419; 153; 78; cul 13; not 9.2
gape 25; tib 31; tars 14.5; mte 22; cl 7.5
hite 14; cl. 7

200 Progne subis ♂ juv. Weber Cr. Aug.
203; 410; 146; 78; cul. 12; not 8
gape 24; tibia 28; tars 16.5; mte 22
6.2; hte 15; cl. 6.5. Spotted with blue

201 Progne subis ♂ ad Weber Cr. Aug.
199; 420; 150; 74; cul. 13.5; not
9.1; gape 25.5; tibia 30; tars 17;
mte 23; cl. 7; hte 16; cl. 7.

202 Progne subis ♂ juv Weber Cr. Aug.
208; 426; 152; 80; cul. 13; not
8.5; gape 24.5; tibia 29; tars 17
mte 23.5; cl. 7.5; hte 16; cl. 7.7.
Probably young of the year. Perhaps
older, however.

Register and Prescription Book

No.	NAME	RANK	REG'T	COMP.	DISEASE
-----	------	------	-------	-------	---------

